Vault Help has moved!

The content on classic Vault Help is no longer maintained and may not be accurate. In 22R3, December 2, 2022, all links to classic Vault Help will redirect to new Vault Help.

To ensure the best customer experience, update all bookmarks directing to this site before 22R3, Dec

2, 2022.

Please visit us at our new location:

- Veeva Vault Help
- Veeva Vault Release Notes



Navigation

New Features in Vault V12 API (12.0.0 Release)

Release Date: June 26, 2015

We are pleased to bring you the following enhancements to the V12 API in this week's release. Refer to the Vault Release Notes for additional information about the 12.0.0 release.

Bulk API Update: Vault Loader

In this release, we introduce the Vault Loader. With Vault Loader, users can upload a CSV input file from within the Vault UI to create or update multiple documents, object records, users, and groups in bulk. Once enabled in a vault, the **Loader** tab is displayed in the primary navigation bar for Vault Owners and users with the **Vault Loader** permission.

Updates to Vault Objects API for Engage Viewer

When enabled by Support, the Vault Objects API includes the *website_v* object. The new object is only available in vaults with Engage integration and the View-Based License Type enabled. This allows Admins to restrict access to *Website* object records (for Engage Integration) based on a set of sharing rules.

Feedback

Users can configure *website_v* object records with one of the following *distribution channel type v* picklist values:

- approved_email_v
- engage_v
- cobrowse v
- public_distribution_v

API Transaction Limits

Vault limits the number of API calls that can be made every 5 minutes and every 24 hours. When either of these limits are reached, the API returns an *API_LIMIT_EXCEEDED* error message and no further calls will be processed until the next 5 minute or 24 hour period begins.

- The default limit every 5 minutes is 1000 or 2000 calls, depending on your vault.
- The default limit every 24 hours is 100,000 calls.
- The limits are configured on each individual vault in a domain.
- Contact Support for more information.

Notable API Fixes

Issue	Issue No.
When retrieving binders via the API, users with permissions on a previous binder version are unable to retrieve the current binder version.	DEV-66773
When performing complex document queries using multiple VQL parameters and fields, the API is slow in responding.	DEV-66305
When using the Bulk API to create new documents and setting the <i>Accept</i> HTTP Request Header to "application/json", Vault responds with an error.	DEV-65869
When using the Bulk API to create new documents, users are unable to set the <pre>ownerv role.</pre>	DEV-65143
When using the Bulk API to create object records, the document <i>id</i> field cannot be used as an <i>idParam</i> value.	DEV-64842

Search

Search... Q

Article Contents

· Bulk API Update: Vault Loader

- Updates to Vault Objects API for Engage Viewer
- API Transaction Limits
- Notable API Fixes

Related Articles

- New Developer Features in 17R3
- New Features in Vault v17.3 API (17R2.4 Release)
- New Features in Vault v17.3 API (17R2.3 Release)
- New Features in Vault v17.3 API (17R2.2 Release)
- New Features in Vault v17.2 API (17R2 Release)

© 2022 Vault Help. All Rights Reserved.

Were you able to answer your question in Vault Help? If you have other questions or feedback, see Vault Community.

This is classic Vault Help. Go to the new Veeva Vault Help web site.