## Vault Help has moved!

The content on classic Vault Help is no longer maintained and may not be accurate. In 22R3, December 2, 2022, all links to classic Vault Help will redirect to new Vault Help.

To ensure the best customer experience, update all bookmarks directing to this site before 22R3, Dec 2, 2022.

Please visit us at our new location:

- Veeva Vault Help
- Veeva Vault Release Notes



Navigation

## New Features in Vault V13 API (12.5.3 Release)

Release Date: September 25, 2015

We are pleased to bring you the following enhancements to the V13 API in this week's release. Refer to the Vault Release Notes for additional information about the 12.5.3 release.

# Create Documents API Update

The bulk create documents API now supports auto-naming. If the "Use Custom Format" option is selected on a document type, the bulk create document API will honor this setting when a value is not provided for the field *name\_v* in the input file.

### **New Deletions API**

The new Deletions API allows users to retrieve deleted document IDs from the past thirty days. The API will return the document ID, information on which versions were deleted, and the deletion date. Users can also specify a window period for retrieving the data by specifying a start and end date.

### New Document & Binder Fields in eTMF Vaults

Feedback

In eTMF vaults, document metadata now includes the *hierarchy\_v*, *model\_v*, and *filing\_model\_v* fields. These fields are configured with values only document types on which they've been configured. Binder sections have a new attribute: *hierarchy\_v*. An action to refresh auto-filing on a binder can also be called through the API.

### Notable API Fixes

Issue	Issue No.
An UNEXPECTED_ERROR is returned when using the Delete Document Version endpoint on a document with only one version. This endpoint can now be used to delete the last version of a document, thereby deleting the document entirely.	DEV-75210
When using the eCTD Manager to import and export documents, the Vault session times out before completing the process.	DEV-74961
When using the Bulk Documents API to create content placeholders for binders, the new documents are not automatically filed into their corresponding binders.	DEV-74230
When creating or updating content placeholder documents, which are not bound to the required document field rules, the API is enforcing all required fields set on the document type.	DEV-74006 DEV-72581
Users are unable to update lifecycle state entry actions on documents due to an error in the "Effective Date" document field.	DEV-72323
When creating binders from templates, users receive a TEMPLATE_NOT_IN_CORRECT_PATH error.	DEV-72761

#### Search

Search... Q

#### **Article Contents**

- Create Documents API Update
- New Deletions API
- · New Document & Binder Fields in eTMF Vaults
- Notable API Fixes

#### **Related Articles**

- New Developer Features in 17R3
- New Features in Vault v17.3 API (17R2.4 Release)
- New Features in Vault v17.3 API (17R2.3 Release)
- New Features in Vault v17.3 API (17R2.2 Release)
- New Features in Vault v17.2 API (17R2 Release)

Feedback

© 2022 Vault Help. All Rights Reserved.

Were you able to answer your question in Vault Help? If you have other questions or feedback, see Vault Community.

This is classic Vault Help. Go to the new Veeva Vault Help web site.