

Vault Help has moved!

The content on classic Vault Help is no longer maintained and may not be accurate. In 22R3, December 2, 2022, all links to classic Vault Help will redirect to new Vault Help.

To ensure the best customer experience, update all bookmarks directing to this site before 22R3, Dec 2, 2022.

Please visit us at our new location:

- [Veeva Vault Help](#)
- [Veeva Vault Release Notes](#)



Navigation 

New Features in Vault V13 API (13.0.0 Release)

Release Date: October 23, 2015

We are pleased to bring you the following enhancements to the V13 API in this week's release. Refer to the [Vault Release Notes](#) for additional information about the 13.0.0 release. See the [Vault Developer Portal](#) for API documentation.

New Document Templates API

The Vault Documents API now supports the following actions on document templates:

- Retrieve document template collection.
- Retrieve document template metadata and attributes.
- Download existing document template files.
- Create, update, and delete document templates.

Create and update actions can also be performed in bulk (1-500 templates at a time).

New Binder Templates API

The Vault Binders API now supports the following actions on binder templates:

- Retrieve binder template collection.

 [Feedback](#)

- Retrieve binder template metadata and attributes.
- Retrieve binder template node metadata and attributes.
- Create, update, and delete binder templates.
- Create and update binder template nodes.

Create and update actions can also be performed in bulk (1-500 templates at a time).

Many-to-Many Relationship Queries (Joins)

The Vault Query API now supports the ability to traverse object relationships to achieve multi-level joins to satisfy the requirements where in many-to-many relationships, parent objects need to be looked up based on another parent directly.

Notable API Fixes

Issue	Issue No.
When performing bulk document delete actions using document <i>id</i> field values in the input and not including <i>idParam=id</i> with the request, an error is returned stating that the required parameter [idParam] is missing. This parameter is only required when using document <i>external_id__v</i> field values in the input.	DEV-76828
When performing VQL queries on users, duplicate results are returned in some vaults.	DEV-70235

Search



Article Contents

- [New Document Templates API](#)
- [New Binder Templates API](#)
- [Many-to-Many Relationship Queries \(Joins\)](#)
- [Notable API Fixes](#)

Related Articles

- [New Developer Features in 17R3](#)
- [New Features in Vault v17.3 API \(17R2.4 Release\)](#)
- [New Features in Vault v17.3 API \(17R2.3 Release\)](#)
- [New Features in Vault v17.3 API \(17R2.2 Release\)](#)
- [New Features in Vault v17.2 API \(17R2 Release\)](#)

© 2022 Vault Help. All Rights Reserved.

Were you able to answer your question in Vault Help?

If you have other questions or feedback, see [Vault Community](#).

This is classic Vault Help. Go to the new [Veeva Vault Help](#) web site.