### Vault Help has moved!

The content on classic Vault Help is no longer maintained and may not be accurate. In 22R3, December 2, 2022, all links to classic Vault Help will redirect to new Vault Help.

To ensure the best customer experience, update all bookmarks directing to this site before 22R3, Dec 2, 2022.

Please visit us at our new location:

- Veeva Vault Help
- Veeva Vault Release Notes



Navigation

# New Features in Vault V7.0 API (6.5.4 Release)

Release Date: August 29, 2013

We are pleased to bring you the following enhancements to the V7.0 API in this week's release.

### Create a Draft Version on Binders

You can now use the Binders API to create a new draft version of a binder. To accomplish this, send a POST request to a specific binder without passing any parameters.

## **API Bug Fixes**

Issue	Description
18958	Removes in_migrationv boolean from the study catalog to reduce confusion.
19595	Resolves how the group IDs return in response to the Get User API.

#### Search

Search... Q

### **Article Contents**

- · Create a Draft Version on Binders
- API Bug Fixes

### **Related Articles**

- New Developer Features in 17R3
- New Features in Vault v17.3 API (17R2.4 Release)
- New Features in Vault v17.3 API (17R2.3 Release)
- New Features in Vault v17.3 API (17R2.2 Release)
- New Features in Vault v17.2 API (17R2 Release)

© 2022 Vault Help. All Rights Reserved.

Were you able to answer your question in Vault Help? If you have other questions or feedback, see Vault Community.

This is classic Vault Help. Go to the new Veeva Vault Help web site.

Feedback